

PRESS RELEASE

PRESS RELEASEJune, 2018 || Page 1 | 3

Insects supply chitin as a raw material for the textile industry

Harmful chemicals are often used in textile processing. That is why the Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB is researching harmless biobased alternatives. The Institute is working on utilizing side streams from the animal feed manufacture for the production of chitosan. The biopolymer is supposed to be used as a sizing agent in the processing of yarns or for the functionalization of textiles. Fraunhofer IGB will present its work at the AICHEM trade fair from June 11 – 15 in Frankfurt am Main.

Chitin is a major component of insect skins and shells; large quantities of it result from the production of animal feed – ever since the feed industry has increasingly relied on insects as protein suppliers. Insects have the advantage that they reproduce quickly and can be bred cheaply on low-value substrates. This makes them a sustainable source of protein. So far, soya has been used for this purpose, but its cultivation is in direct competition with food production. Insect proteins have already been approved for poultry and pig feed. Since summer 2017, they can also be used as feeding stuff for fish. It is therefore to be expected that the use of insect proteins will become even more important in the future.

Insects supply feed proteins – the waste product chitin is as a valuable recyclable material

The feed industry is focused on proteins, but the skins and shells of insects remain as a waste product. If they can also be utilized, this contributes to the sustainability and economic efficiency of the overall feed production. The potential is enormous: in the course of their development, the larvae of the insects shed their skins several times. The remaining molting products consist up to 40 percent of chitin.

In the joint project “ChitoTex”, the Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB is investigating how insect chitin from animal feed production can be processed to supply biobased chemicals for textile processing. “For a long time now, we have been working on the development of processes for the recycling of residual and waste materials and therefore have the necessary expertise,” explains Dr. Susanne Zibek, who heads the research area of industrial biotechnology at the Institute.

Biopolymer chitosan as a substitute for environmentally harmful fluorocarbons

PRESS RELEASEJune, 2018 || Page 2 | 3

At first, the Fraunhofer researchers have developed a purification process to separate chitin from further components of the insect skins such as proteins and minerals. "We are investigating various ways of deacetylating chitin to produce chitosan," Zibek explains. "With an enzyme screening for example, we search for suitable enzymes for the deacetylation process".

Due to its ability to form films, chitosan can be used as a sizing agent. This reduces friction in weaving machines and prevents the roughening or breaking of yarns in the weaving process; after that the sizing agent is either washed out again or remains on the yarn. In either case, biobased and natural alternatives to synthetic agents are beneficial for man and environment.

The second possible application is the functionalization of textiles, i.e. the finishing of textile fabrics with specific properties. "For example, we want to use the functional amino group to link hydrophobic molecules with the chitosan. Water-repellent properties can be achieved when applied to textiles." Until now, environmentally harmful fluorocarbons are widely used for the hydrophobic finishing of outdoor textiles.

Presentation at the ACHEMA

At the ACHEMA from June 11–15, 2018 in Frankfurt am Main, Fraunhofer IGB will be available for further information and discussions at the Fraunhofer joint stand in Hall 9.2, Booth D66.



After pupae shed their skin, pupal exuviae remain as residual stream.
(© Fraunhofer IGB) |

FRAUNHOFER INSTITUTE FOR INTERFACIAL ENGINEERING AND BIOTECHNOLOGY IGB

PRESS RELEASE

June, 2018 || Page 3 | 3



Chitosan, purified from insect skins.
(© Fraunhofer IGB)



Chitosan is able to form films, which is important for its use as sizing agent.
(© Fraunhofer IGB)

Pictures in color and printing quality:
www.igb.fraunhofer.de/press

Reprints free of charge. A voucher copy is appreciated in case of publication.

Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB | Nobelstrasse 12 | 70569 Stuttgart | Germany | www.igb.fraunhofer.de

Contact R&D Department

Dr.-Ing. Susanne Zibek | Phone +49 711 970-4167 | susanne.zibek@igb.fraunhofer.de

Contact Press

Jan Müller M. A. | Phone +49 711 970-4150 | jan.mueller@igb.fraunhofer.de

The **Fraunhofer-Gesellschaft** is the leading organization for applied research in Europe. Its research activities are conducted by 72 institutes and research units at locations throughout Germany. The Fraunhofer-Gesellschaft employs a staff of more than 25,000, who work with an annual research budget totaling 2.3 billion euros. Of this sum, almost 2 billion euros is generated through contract research. Around 70 percent of the Fraunhofer-Gesellschaft's contract research revenue is derived from contracts with industry and from publicly financed research projects. International collaborations with excellent research partners and innovative companies around the world ensure direct access to regions of the greatest importance to present and future scientific progress and economic development.

The **Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB** develops and optimizes processes, technologies and products in the fields of health, chemistry and process industry, as well as environment and energy. We combine the highest scientific standards with professional know-how in our competence areas – always with a view to economic efficiency and sustainability. Our strengths are offering complete solutions from the laboratory to the pilot scale. Customers also benefit from the cooperation between our five R&D departments in Stuttgart and the institute branches located in Leuna and Straubing. The constructive interplay of the various disciplines at our institute opens up new approaches in areas such as medical engineering, nanotechnology, industrial biotechnology, and environmental technology.